


# Reversible Drainage Anti-Fatigue Mat Superflow<sup>™</sup> T18

## Product Images



## Short Description

---

- Drainage system removes liquid and debris
- Lightweight for easy handling and cleaning
- Reversible design to extend service life
- General Purpose Rubber
- Molded in beveled edges
- 5 year warranty

## Description

---

Superflow™ is a lightweight anti-fatigue general purpose rubber workstation mat. Its' lightweight design makes it a perfect choice for applications where the mat is routinely moved for cleaning. Superflow™ is reversible further extending the life of the mat. A drainage system facilitates the removal of liquids and debris from the work area and the molded-in beveled edges reduce trip hazards and allow for easy access onto and off of the mat. Superflow™ has an aggressive textured top surface that provides additional traction in wet areas.

## Specifications

|                          |                                                                                                         |
|--------------------------|---------------------------------------------------------------------------------------------------------|
| Model No                 | T18                                                                                                     |
| Brand                    | NoTrax                                                                                                  |
| Available Colors         | Red; Black                                                                                              |
| Surface                  | Drainage Holes                                                                                          |
| stock size test          | 2 feet x 3 feet, 4 feet x 6 feet, 3 feet x 5 feet                                                       |
| Overall Thickness        | 5/8                                                                                                     |
| Group                    | Ergonomic, Anti-fatigue & Safety Matting                                                                |
| Environment              | Wet/Dry Areas                                                                                           |
| Special Characteristics  | Free of DOP, free of DMF, free of ozone depleting substances, free of silicone and free of heavy metals |
| Recommended Use          | Restaurant kitchens, food prep, food processing environments                                            |
| Special Remarks          | Reversible design extends the service life - almost like buying two mats for the price of one.          |
| Edges                    | Molded beveled edges on all sides                                                                       |
| Usage Intensity          | Medium duty                                                                                             |
| Material Specifications  | Natural rubber                                                                                          |
| Surface Detail           | Large Drainage Holes                                                                                    |
| Mat Type                 | Work Station                                                                                            |
| Process                  | Compression Molding                                                                                     |
| Weight Lbs/sqft          | 1.3                                                                                                     |
| Fire Rating US           | Pass                                                                                                    |
| REACH Compliant          | Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).                 |
| Slip Resistance Rating   | Best                                                                                                    |
| Comfort Rating           | Better                                                                                                  |
| Grease Resistance Rating | Good                                                                                                    |
| Wearability Rating       | Better                                                                                                  |

# Product Options

---

|             |           |
|-------------|-----------|
| Dimensions: | 2ft x 3ft |
|             | 3ft x 5ft |
|             | 4ft x 6ft |